



A comprehensive review on quantum computing and algorithms

Abdulrahman Sultan* and Igor Klebanov

Department of System Programming, South Ural State University, Chelyabinsk 454080, Russia.

Abstract

Quantum computers and simulations are creating new prospects by applying quantum physics concepts in innovative ways to generate and process information. It is expected that such computations will have a positive impact on a number of fields, from daily tasks to the discovery of new scientific findings. Quantum computing has become much more feasible in recent years owing to enormous advancements in both quantum software and hardware development. In fact, the confirmation of quantum supremacy represents a crucial turning point in the Noisy Intermediate Scale Quantum (NISQ) era. To comprehend the current state of this developing field and identify unresolved issues that the quantum computing community has to address in the upcoming years, a thorough analysis of the current literature on quantum computing will be of immeasurable value. This article offers a thorough analysis of the literature on quantum computing, Qubits, quantum algorithms, and implementations.

Keywords. Quantum computers, Quantum algorithm, Noisy intermediate scale quantum (NISQ), Integer factorization algorithm, Differential equations.

2010 Mathematics Subject Classification. 65L05, 34K06, 34K28.

1. INTRODUCTION

Quantum computing technology in comparison to conventional calculations offers fundamentally new approaches to solving computational issues and makes problem-solving more effective. In a few years, quantum computers might be bought on the open market thanks to encouraging experimental findings [1–10]. The Shor prime factorization technique is the most renowned example of a quantum computer's capabilities [11]. Comparison of the power of quantum and conventional computers is conceivable due to the record-breaking speed of the Rivest-Shamir-Adleman (RSA) algorithm [12]. This computational problem would take billions of years to solve in a typical computing environment, but a quantum computer could be able to complete it in a few hours [11–13]. The development of quantum computing and the evaluation of quantum computers were made possible by this method, which introduced quantum computations in 1994 [14].

Large-scale quantum computer development has distinctive obstacles. The decoherence of qubits, which occurs when a qubit loses its coherent qualities as a result of contact with an environment, is a major challenge in the creation of quantum technology. This implies that any quantum advantage will be eliminated as superposition qubits decohere to classical bits. The word "noisy" in "Noisy Intermediate Scale Quantum" (NISQ) refers to the notion that events outside the devices' control might disturb. For example, the quantum data saved in a computer can be weakened by minute temperature variations and aberrant electric and magnetic fields [15, 16]. A large portion of current quantum computing research is devoted to creating effective error correction methods in order to tackle defects in NISQ devices. In today's quantum technologies, a connection of qubits presents a second significant hurdle. Due to the increased complexity of mapping large depth quantum circuits with several two-qubit gates, which necessitates inter-qubit connections via direct interactions, current quantum devices have sparse qubit connections.

Received: 22 August 2024 ; Accepted: 16 October 2024.

* Corresponding author. Email: abdulrahmanalsultan8@gmail.com.

NISQ quantum computers are showing signs of computing power, despite technological difficulties. An important development in quantum computing has recently been made by the Google team in their demonstration of quantum supremacy [11–17]. There is now a fierce competition taking place on a worldwide scale to develop the first quantum computing application, sometimes referred to as “quantum advantage,” which solves a practical challenge that is unsolvable on classical computers. In the next years, there will need to be considerable advancement in the creation of error-corrected quantum algorithms and quantum hardware.

Quantum algorithms are being developed and evaluated rapidly on NISQ devices. However, hundreds more quantum algorithms have been developed since then [18–29]. Grover’s and Shor’s were two of the few notable quantum algorithms that existed in the early 1990s. The Variational Quantum Eigensolver (VQE), one of the most widely used types of quantum algorithms, is one that is constructed employing both quantum and classical components [19]. For challenges pertaining to quantum machine learning, VQE algorithms have demonstrated exceptional performance on NISQ devices. More significant fields of quantum algorithms include algebraic (i.e., verifying matrix products or discrete log), search (i.e., amplitude and Grover amplification), and variational (i.e., quantum approximate optimization).

Only after several years of more research and development will researchers be able to build a universal quantum computer for use in practical applications. On the other hand, the quantum acceleration on the currently operational NISQ era devices is already being used in prototype applications that provide encouraging results. Two new study areas for NISQ devices are variational algorithms and quantum machine learning. Quantum machine learning will speed traditional data analysis. There have previously been proposals for quantum support vector machines and quantum principal component analysis. Although it is ambiguous whether machine learning will be more computationally efficient than classical machine learning implementations, recent research has produced encouraging findings [20, 21]. Since quantum computers consume less energy than conventional computers, the processing of data-intensive problems by machine learning quantum algorithms has the potential to reduce energy costs and reduce the need for fossil fuels [22].

Quantum algorithms on NISQ devices are implemented in several well-known models, including quantum annealing, one-way quantum computer, and adiabatic quantum computing [22]. Owing to the ability to re-program quantum computers on a particular problem basis, of all the approaches, the quantum circuit model is seen to be the most practical.

No high-level programming language specifically for quantum computing exists currently. Building quantum circuits that systematically use available quantum gates or operations to get the desired result is how the algorithms are handled in the circuit approach.

Major advancements are being made worldwide in many different areas of quantum computing, including software/algorithm development, hardware development, application development, and error correction on NISQ devices. For researchers and engineers working on a wide variety of issues, this research review will give a thorough and judicious assessment of the current developments and future prospects. Figure 1 illustrates how quantum computing, which distributes the fundamental functions, has a number of benefits for applications, application developers, and other businesses.

2. QUBIT BASIC

A bit is the basic building block of traditional computing, and in binary notation, it can have one of two potential values: “0” or “1”. In contrast, a quantum bit or qubit is the fundamental unit of information in quantum computing. Due to the nature of quantum mechanics, qubits can simultaneously be either ‘0’ or ‘1’ or both ‘0’ and ‘1’. As a result, a qubit may be mathematically described as $a|0\rangle + b|1\rangle$, where a and b are coefficients that permit the mixing or superposition of the states “0” and “1”. The distinction between a qubit and a bit in a superposition state is depicted graphically in Figure 2.

The qubits’ superposition gives users access to a sizable computational space and allows addressing a variety of issues with high computational complexity. For instance, a 3-bit integer can have only one value at any given time from a set of eight potential values: 000, 001, 010, 011, 100, 101, 110, 111. A 3-qubit state, however, can exist in a superposition of all eight values: $a|000\rangle + b|001\rangle + c|010\rangle + d|011\rangle + e|100\rangle + f|101\rangle + g|110\rangle + h|111\rangle$. This suggests that






FIGURE 1. Quantum computing technology from classical form.

increasing bits in a traditional computer will increase the computational space linearly, while increasing the number of qubits from three to four will increase the computational space exponentially, or from 2^3 to 2^4 .

The potential of quantum computing, which can solve extremely challenging dataset problems with a very small number of qubits, is supported by the exponentially growing computational space as a function of qubit count. However, it is still unclear how large datasets can be loaded into quantum states. The concept of using quantum random access memory was first proposed by Giovannetti et al. [23], but its application on actual quantum equipment has not yet been proven. Other solutions may involve employing machine learning technologies to prepare quantum states using learned datasets [24] and using coreset constructions [25].

Entanglement is a key characteristic of quantum computing, as shown in Figure 1. Qubits can be in entangled states, in contrast to traditional bits, where every bit value can be changed independently of the others. Despite their physical isolation, qubits' characteristics are connected when they are in an entangled state. Consequently, by computing one qubit, one can change the characteristics of other entangled qubits. This is what Einstein dubbed "spooky action at a distance". Entanglement is a valuable resource utilized for correlated system modeling and dense coding.

An established set of guidelines is often followed while simulating a computational problem on a quantum computer. This involves creating a superposition condition that gives each potential result an equal likelihood of occurring. Utilizing superposition and entanglement features, quantum operations enhance the probability of desired results while reducing the probability of undesirable ones. Quantum computation ends with measurement, which causes the quantum state to collapse into the state with the highest probability of yielding the desired result. To achieve high accuracy outcomes, the quantum algorithm is used to ensure that the chance of the desired outcome is very close to 1, while the probabilities of all other alternatives are infinitesimally small.

3. BASICS OF QUANTUM COMPUTING AND SIMULATION

Richard Feynman independently suggested the notion of the quantum computer in 1981 [27], although Russian mathematician Yuri Manin initially presented the quantum computing concept in 1980 [28]. Feynman recognized that the exponential rise in the amount of processing resources needed makes it impossible for classical computers to simulate quantum dynamics over a certain simulated system size [29]. Feynman stated that "Nature isn't classical and if you want to make a simulation of Nature, you'd better make it quantum mechanical, and by golly that's a wonderful challenge because it doesn't look so easy" in support of the development of quantum computers [29]. David Deutsch demonstrated in 1985 that quantum computers may be more powerful than conventional computers in terms of computing [30]. Later, algorithms for quantum computing were suggested by Deutsch and Jozsa [31], Bernstein and Vazirani [32], and Simon, and they were shown to perform better than classical algorithms. Nevertheless, their




FIGURE 2. Illustration of a bit and qubit [26].

methods resolved issues that had no real-world applicability. In the year 1994, Shor published a quantum computer algorithm for factoring huge numbers that can defeat several widely used encryption techniques [33]. This was a significant scientific advancement. The approach enabled verifiable exponential speedups and quantum computers to surpass influential conventional supercomputers in tackling certain challenges for encrypting data, which greatly influenced the progress of quantum computers in the 1990s [33, 34]. Afterward, Lov K. Grover published a search method with proven polynomial speed-up, interest in the quantum computer rapidly rose in 1996 [35]. In addition, the first technologically viable quantum computer concept was put out in 1996 [36]. Quantum computing might find use in optimization, artificial intelligence, information security, and machine learning.

Many quantum computer algorithms are currently accessible, as may be seen, for instance, in the quantum algorithm zoo [30–37]. The first quantum computer based on superconductors was created in 1999 by a Canadian firm by the name of D-Wave Systems [38]. In 2007, the business showed off a qubit quantum computer, which was trailed by a few more qubits that could only use a quantum annealing procedure to tackle optimization issues [37]. Later, a number of businesses created all-purpose quantum computers that could tackle many issues. A few universal quantum computers are now accessible to the general public thanks to IBM's recent launch of its IBM-Q cloud quantum computing service. In the year 2019, Google made the announcement that it has successfully computed using its 53 qubit Sycamore quantum computer to attain quantum supremacy. A universal quantum computer is currently being constructed by a number of businesses, including IonQ, Microsoft, Rigetti, Honeywell, Intel, and Lockheed Martin. In the year 2018, the announcement of the billion euro, ten-year Quantum Technologies Flagship by the European Commission. After the successful deployment of a corresponding metal-oxide-semiconductor (CMOS) qubit in France, the project for quantum information technology on the basis of a metal oxide semiconductor (MOS)-based was launched. Solid-state solutions have gained attention lately because of their capacity to scale up to more qubit systems [39]. These qubits are found in nitrogen-vacancy (NV) centres in nanodiamonds and superconducting Josephson junctions. Due to its interoperability with CMOS foundries, spin qubits on silicon have developed into a valuable asset [40, 41]. To conduct the measurement, each qubit in the system has its own connection to the outside world. CMOS systems provide more flexibility while avoiding a number of technical issues. Table 1 displays cases of numerous commercial and laboratory-built quantum computing platforms that have changed over the previous 25 years, along with the types and amount of qubits utilized, and also states the issues related to these computers.

The disturbances and dissipations in the number of qubits that can operate a quantum circuit in a present quantum device is restricted. Modern qubits are kept at sub-millikelvin (10 mK) in dilution refrigerators since thermal noise is the largest danger to the stability of qubits. A number of redundant physical qubits are needed for quantum error correction in order to encode a single logical qubit. As it travels from the cryogenic dilution temperature of 4.2 mK

to ambient temperature, the interconnect for addressing every qubit located at 10 mK goes through several stages. In addition to endangering accuracy, thermal conditions make it difficult to conduct complex quantum algorithms that call for quick response after reading a qubit [40–42]. To overcome the aforementioned difficulties, a number of ideas for cryogenic-capable CMOS front-end devices have been explored [43–46]. One of these instances is the Bristlecone quantum computer developed by Google, which used an integrated circuit (IC) CMOS prototype along with a pulse generator to connect with qubits at 4K temperature. It enhanced the likelihood that CMOS technology might be used at the edges of qubits that are kept at extremely low temperatures [47–51].

TABLE 1. Applications and platforms in quantum computing.

Ref	Year	Type Qubit	No of Qubit	Problems Studied
[48]	1998	H in deuterated cytosine	2	QS algorithm
[49]	2000	H in deuterated cytosine	2	QC Fundamental studies
[50]	2004	¹³ C-labeled alanine	3	Operation of non-separable 2 qubit
[51]	2010	Trapped ⁹ Be and ²⁴ Mg ions	2	Random operations selected
[52]	2010	Photonic	4	Hydrogen molecule energy spectrum
[53]	2014	Trapped ¹⁷¹ Yb ions	11	Quantum correlation in long-range interaction
[54]	2015	Xmon Transmon	9	Simulation of fermionic models
[55]	2016	Trapped ⁴⁰ Ca Ion	4	Lattice gauge theory Simulation
[56]	2017	Trapped ¹⁷¹ Yb ion	53	Non-equilibrium dynamics in the oblique field Ising model
[53]	2017	Transmon	6	Ground state energy calculations of small-scale molecules
[57]	2018	Trapped ¹⁷¹ Yb Ion	5	Algorithms of Bernstein-Vazirani, and Deutsch-Jozsa
[58]	2018	Quantum dot electronic spin	2	Grover search, and Deutsch-Jozsa algorithms
[59]	2019	Trapped ¹⁷¹ Yb ions	11	Hidden-shift, and Bernstein-Vazirani algorithms
[60]	2019	Transmon	53	Simulations of quantum circuits
[61]	2019	NV nanodiamond	2	Deutsch-Jozsa algorithms
[62]	2019	Transmon	20	Multipartite entangled Greenberger-Horne-Zeilinger states verifying
[63]	2021	Hole spins in germanium quantum dots	4	Greenberger-Horne-Zeilinger states generation

3.1. Quantum computing. The quantum computer is capable only of simulating multi-body difficulties from the perspective of quantum, although the classical computer is capable of solving many complicated chemistry and physics issues to a satisfactory precision. An ideal testing ground for early-stage quantum computers is provided by traditionally intractable issues from material chemistry, which are crucial to the development of carbon management technologies and fossil energy. Technologies for the continued safe and secure use of energy face a number of challenges that must be overcome, including the development of small- to large-scale batteries, the search for the best carbon capture materials, catalytic processes in complex reactions, and analyte sensing in harsh environments. Many of these issues are too large for traditional computing, or they take too long to solve. Material chemistry issues of major interest and significance for energy infrastructure from a technical standpoint are now solvable due to the advancement of quantum computers. Table 2 summarizes the state-of-the-art commercially available quantum computers that are presently being developed in order to give a general overview of the current state of the quantum computing sector.



TABLE 2. Most recent computers and quantum computers.

Ref	Year	Company	Model	No. of Qubits	Types of Qubits
[64]	2019	IBM	Quantum System One	27	Transmon
[65]	2020	D-Wave	Advantage	5640	SQUIDs
[66]	2020	IonQ		32	Trapped Ions
[67]	2020	Honeywell	System HI	10	Trapped Ions
[68]	2020	Alpine Quantum Technologies	Quantum Simulator	10	Trapped Ions
[69]	2020	SpinQ	Gemini	2	NMR
[70]	Under development	PSI Quantum		1,000,000	Photonic
[71]	Under development	Cold Quanta	Hilbert	100	Cold Atom
[72]	Under development	Universal Quantum			Trapped Ions

3.2. Problems classification. Only some types of problems, which are often categorized as "extremely hard" issues, are projected to be expedited by quantum computers. These extremely difficult tasks are unsolvable on modern computers, even supercomputers, due to the exponential rise in computational complexity that occurs with system size. Some of the issues are tractable on quantum computers owing to quantum computing methods that create the computational intricacy scale polynomials with the system size. Optimization, highly energetic quantum particles, protein simulation, deep learning, many-body quantum dynamics, computational chemistry, machine learning, sampling of massive data sets, and artificial intelligence, are a few examples of these difficulties.

Even if a difficult task may theoretically be solved, it is crucial to determine whether it can be addressed in a specific amount of time with limited resources. The sorts of problems that quantum computers might effectively tackle and how they relate to other computing issues are shown in ref [73]. This review is not intended to provide a comprehensive explanation of computational complexity classes, however, readers who are interested are directed to S. Aarons' book. The issue of bounded error computation is a member of the non-NP hard class of bounded error quantum polynomial (BQP) time class problems [73]. Examples of BQP class issues include the discrete logarithm and the factorization of large integers. The BQP does not perfectly interact with every other class. Polynomials (P) and few members of the time class NP, that are more challenging than P and known as time polynomials, are included in the BQP class. The majority of NP difficulties are thought to fall outside the BQP class and be unsolvable on QC since doing so will entail more stages than polynomial steps. Additionally, the aforementioned classes belong to PSPACE, the category of issues that call for a polynomial memory amount. Decision-making issues are typically grouped into complexity classes based on how much time or memory they demand. Note that PSPACE does not include even more difficult issues. Computational complexity, hardness, quantum speedup, and quantum supremacy are used to categorize issues into several classes:

- **Computational complexity:** The computational complexity of a problem is expressed in various Turing machines, which can simulate any kind of problem in PSPACE. Due to their time polynomial nature, BQP class issues are computationally challenging for conventional computers.
- **Hardness:** Can a Turing machine solve nature's most challenging problems? There is a theory that alternative adaptive analog computers be able to provide answers to NP-hard problems, which traditional machines need exponential amounts of memory time to solve [17, 18, 74, 75]. In references [73] and [19], the problem's difficulty is described in greater depth.
- **Quantum speed up:** If quantum computation is successful, then a quantum speed increase is inevitable. Using a transmon 2 qubit device and the Grover algorithm, Dewes et al. described this procedure [70]. Polynomial speed gain has not been achieved since ultra-high-quality qubits are now the limit of quantum computing. These days, the quest for quantum speed increases is very popular.
- **Quantum supremacy:** The calculations that can only be performed on a quantum computer and cannot be performed in any acceptable amount of time on current classical computers with accessible memory is known



as quantum supremacy [71, 72]. Google initially asserted quantum superiority in 2019 with a qubit machine that beat Summit, the fastest supercomputer at the time as stated earlier [13].

3.3. Quantum computing algorithms. Richard Feynman, a Nobel laureate, first introduced the concept of quantum computing, which leverages the principles of quantum mechanics to perform complex computations. Quantum computers, rooted in these principles, have advanced significantly, enabling a wide array of applications from simulating quantum systems to addressing intricate problems in computer science. An industrial-scale quantum computer would represent a major leap forward in computational power, with profound implications for various fields, including cybersecurity. Notably, Daniel Simon developed the first algorithm demonstrating a quantum computer’s potential to surpass classical computational methods. Table 3 provides a comparative analysis of algorithms for quantum computing, illustrating the advancements and efficiencies achieved in this domain [14–16].

TABLE 3. Quantum algorithms summary.

Ref	Name	Year	Type	Objectives
[31]	Deutsch-Jozsa Algorithm	1992	Quantum Fourier Transform basis	Exponential queries requirement problems
[32]	Bernstein–Vazirani Algorithms	1992		Efficient solutions to black-box problems
[45]	Simon’s Algorithm	1994		Fast computation
[73]	Shor’s Algorithm	1994		Discrete logarithm and integer factorization issues
[74]	Grover’s Algorithm	1996	Amplitude Amplification	Searching unstructured databases for marked entries
[75]	Quantum Counting	1998	Amplification	General search
[60]	Quantum Approximate Optimization Algorithm	2014	Hybrid quantum	Solutions for graph theory problems

It is necessary to solve the specious exponential overhead in handling mechanical issues with quantum on a traditional computer. This is a crucial step in the development of quantum computing. Advances in quantum computer hardware are not the only thing that is required. An essential goal for measuring the performance of the quantum computer is attaining supremacy, or the resolution of issues that cannot be solved on conventional computers. Therefore, computational complexity theory is the focus of all theoretical and applied research done to level the quantum computer (a theory that categorizes problems like integer factorization into P and NP classes).

In Table 4, several algorithms developed for quantum computers on the road to achieving quantum supremacy are listed according to their degree of complexity. A constant-depth circuit [63, 64], random quantum circuits [67] with commutation gates and non-commuting circuits, as well as instantaneous quantum polynomial time [47] have all recently been suggested. Several qubits are used in low-depth quantum circuits, which contain fewer layers of quantum gates than qubits themselves. Quantum methods like the quantum approximate optimization algorithm (QAOA) [66] and adiabatic optimization [10] were created to tackle optimization problems more quickly. The level of difficulty is listed in Column 2 of Table 4. The legitimacy of the algorithms is specified by "yes" or "no," representing if it is easy to confirm.

The primary quantum algorithms are quantum walks, search and optimization, and factorization are briefly described in this article.

3.3.1. Quantum Solution Algorithms for Differential Equations. Recent advancements in quantum computing have sparked interest in utilizing quantum algorithms to tackle the challenges posed by solving differential equations. Utilizing the concepts of quantum physics, quantum computing presents a substantial computational advantage over traditional approaches in some problem domains. Quantum algorithms show promise in solving differential equations, particularly in complicated systems that are too computationally demanding or unsolvable for conventional computers. Using quantum algorithms to solve systems of partial differential equations (PDEs), which are common in many scientific and engineering fields, is one method [15, 16].



TABLE 4. Quantum computers slgorithm and level of difficulty.

Algorithms	Quantum Computers Difficulty	Easy Verification	Convenient
Factoring	Tough	Yes	Yes
Boson Sampling	Easy	No	No
Low-depth Circuits	Medium	Could not verify fully	No
IQP	Medium	Occasionally	No
QAOA	Medium	Could not verify fully	Possibly
Random Circuits	Medium	No	No
Adiabatic Optimization	Easy	Could not verify fully	Possibly
Analog Simulation	Easy	No	Frequently

Quantum computers have the potential to simulate quantum systems themselves, allowing researchers to explore quantum phenomena with unprecedented efficiency. This capability could revolutionize fields such as quantum chemistry, materials science, and condensed matter physics, where differential equations play a central role in describing the behavior of quantum systems.

Even though differential equation quantum solution algorithms are still in their infancy, continued research into quantum computing hardware and algorithm design could lead to the discovery of new tools that could make it possible to solve complicated differential equation problems more quickly than with traditional techniques [10].

In summary, the exploration of quantum solution algorithms for differential equations represents a promising frontier in computational science, with the potential to revolutionize our ability to model and understand complex physical phenomena across various domains.

3.3.2. Integer Factorization Algorithm. The first utilization of quantum computing was Shor’s factorization algorithm. The simplest way to explain Shor’s factorization algorithm is to say that it involves finding the prime numbers p and q for an integer N for integers p and q . The most well-known classical method takes $\exp(O((\log N)^{1/3}(\log \log N)^{2/3})^{1/2})$ time to complete. This issue can be resolved using Shor’s method in a matter of $O((\log N)^3)$ time. It is significant acceleration. In 2010, Kleinjung et al. [14] investigated 768-bit integer classical factorization over the course of two years and over $10^{\text{ref66,ref67,ref68,ref69,ref70}}$ operations utilizing hundreds of contemporary machines. According to an estimate made utilizing a gate-based fault-tolerant quantum computing, 10^{11} gates operating at a clock rate of 10 MHz over the course of a day might factorize a 2000-bit value [15].

A 2.1 GHz Intel Xeon Gold 6130 CPU was used to factor the 795-bit number (RSA-240), which used about 900 CPU core years [65–69]. A technique recognized as the number field sieve (NFS) was utilized to achieve this computation. The aforementioned information illustrates the idea of speed increase via quantum computation. In order to provide a quick quantum solution to solve hidden subgroup problems (HSP), Shor’s technique focuses on reducing the computation time for specific sorts of issues. The shortest vectors in lattices may be found using an effective technique in several HSP-type situations, such as dihedral [75].

3.3.3. Search and Optimization Algorithms. Traditionally, the technique conducts evaluations, where is the number of possible solutions, to assess a search function. Using Grover’s approach and evaluations, the identical issue may be resolved using quantum computers [34]. Grover’s method does not rely on the internal structure of since it is used as a “black box” or oracle. In polynomial time, computers can check the answers to these issues. Grover’s algorithm’s quadratic speedup over traditional Monte Carlo-type algorithms is a key characteristic. Grover’s searching technique employs the order stated that a problem of the NP class, whereas the traditional algorithm uses. This suggests that compared to classical computation, the quantum computation would be four times quicker. Greater complexity in classical problems can be accelerated via Grover’s technique. To accelerate assessments, amplitude amplification algorithms on Brassard, et al. [40] basis may be employed associated to mean speed up of. Grover’s approach has recently been used to solve combinatorial optimization problems and outperformed the traditional algorithm in terms of speed.



3.3.4. Quantum Walks. In classical computers, a potent method for searching and sampling is the Markovian chain, sometimes known as the random walk. This method simulates the motion of a particle traveling at random on a graph structure. Furthermore, quantum walks can be utilized for the simulation of randomly moving particles coherent motion in a graph structure. The time it takes to locate a destination vertex from a source vertex and the time it takes to reach every vertex when beginning at a single source vertex are the ways in which the approach accomplishes random walk. Substantial speedups are attained with both features (quadratic speedup with the feature) against classical machines and exponential speedup with a feature in some cases [19, 29]. A variety of quantum walk-based techniques provides a quadratic development in the spectral gap, from to. Where similar advances are noticed, a variety of issues have been resolved, such as figuring out if a list of numbers is all discrete and detecting triangles in a graph [10].

A hybrid technique combining quantum walks and adiabatic was presented in a recent study and the results produced an understanding of how many computational mechanisms are balanced in various computing settings [11]. A straightforward classical technique may be used to swiftly get from the entrance to the exit in the left two graphs. Once the third graph's middle section is reached, the traditional method falters. In this instance, a quantum walk-based technique is used to obtain a quadratic speedup. The quantum algorithm takes to achieve the exit whereas the conventional algorithm needs $1/N^6$ order in time [17]. Numerous real-world applications have already seen quantum speedups that are quadratically better than their classical equivalents [5, 17]. Solving sets of linear equations is an essential problem in mathematics, physics, and engineering. The Gaussian elimination approach may be used to resolve a straightforward linear algebraic equation of the form, where is matrix and is a vector; $b \in \mathbb{N}$. Implementing the quantum method provided by Harrow et al. [11], which generates a state vector and accesses the matrix, is an outstanding solution. Additionally, the method produces and saves states in qubits that are proportional to.

3.4. Quantum algorithm implementations. The Shor's prime factorization technique [52–56], which serves as a standard by which to measure quantum processing capability [66]. Many physical methods have been used to understand the prime factorization algorithm under various scalability circumstances. However, while not being computational issues, quantum Fourier transforms, quantum teleportation, quantum communication protocols, and quantum key distribution, [64]. Its practical applications are essential for quantum computations and future experiments, such as quantum internet development [60–64]. Numerous real quantum algorithms are discussed in relation to quantum machine learning.

3.4.1. Large-Scale quantum computations. One important field of study is the creation of classical algorithmic tools for huge quantum computation management [73]. It includes many additional distributed quantum computing procedures and techniques, such as data transmission between the nodes and the quantum bus, decoding schemes, optimization strategies, quantum error correction in the nodes, and protocols for communication between quantum nodes. In addition to quantum algorithms and several quantum communication protocols operating, it is believed that the system contains classical information [75]. Because of the incorporation of traditional information processing, these quantum algorithms and approaches will resemble hybrid systems, or "quantum-classical" systems, more than pure quantum systems.

Methods for quantum computing molecule energies were proposed by the authors in [71]. The VQE method, which simulates molecule energies, serves as the foundation for the model. Using quantum computers, the VQE method effectively estimates values using a traditional optimization process, allowing one to approximate the ground state energy of quantum systems. The authors have concluded that their techniques enable both improved wave function optimization and a reduction in the quantum circuit depth required to execute the process.

The authors of [57–60] investigated the practicality of optimizing quantum-classical hybrid algorithms. They focused on the number of repetitions needed for precise estimation, given the necessity of multiple iterations during the state preparation and measurement phases. Their research centered on a particular subset of hybrid quantum-classical techniques, chosen due to its effective application to quantum chemistry and combinatorial problems. Additionally, they explored the integration of quasi-Newton optimization methods with these hybrid algorithms.

3.5. Computational problems. The authors in [16] investigated the gradient descent of quantum for least squares and linear systems. For huge families of matrices, authors devised a linear system solver that outclasses the existing



approaches. An enhanced method for singular value estimate serves as the foundation for the suggested strategy. Researchers have demonstrated a quantum approach to gradient descent, particularly in scenarios where the gradient is an affine function. In such cases, the cost of using the quantum method can be significantly lower than that of conventional gradient descent steps. Furthermore, they have proposed applications for their quantum gradient descent technique, highlighting its potential advantages over traditional methods.

In [16], the researcher looked at the restricted polynomial optimization issue and the quantum gradient descent problem. The challenge for gradient descent algorithms is to locate a local minimum by travelling in the steepest descent direction. Curvature data is employed in the Newton's to solve problems, which might help the convergence process. These iterative optimization methods' quantum equivalents were defined by the authors in this study. The authors used them to tackle specific optimization issues and came to the conclusion that quantum algorithms outperform classical ones exponentially in terms of speed.

The transform of quantum states in a constrained set and the unified quantum no-go theorems were both examined by the authors in [34]. The superposition principle's prohibitions and permits on broad quantum transformations were defined by the authors. The 'no-encoding theorem' was first presented by the authors. This theorem forbids the linear superposition of a fixed state and an unknown pure state in Hilbert space of finite dimension. The authors included the no-cloning, no-deleting, and no-superposing theorems as special cases for their two general forms. The authors also established a uniform method for delivering both flawless and flawed quantum challenges.

According to research [28], a tiny programmable quantum computer with atomic qubits has been developed. The researchers established a trapped-ion quantum computer with five qubits which can be software programmed to perform any number of universal quantum logic gates to perform any number of quantum operations. Even as the authors found, changing the gate sequences allows the implementation of algorithms without requiring hardware changes. Additionally, they used five trapped ion qubits in a coherent quantum Fourier transform (QFT) to determine phase and period. The developed model may be grown to include more qubits, and also be extended by linking other modules, as the authors concluded. From the standpoint of practically implementable quantum calculations, the results are extremely important.

4. CONCLUSION

An extensive overview of the literature on quantum computing is provided in this article. It was found that the resolution of computer problems is expected to be significantly impacted by quantum mechanical phenomena like superposition and entanglement. There is an exploration of several quantum software technologies and tools, and industrial quantum computers are also covered. Several outstanding difficulties have been discovered, and promising future options have been recommended. The quantum computer has been used in several material science investigations to investigate the electrical and chemical characteristics of things. Quantum chemistry is projected to be among the first fields to gain from quantum computing. While solving numerous test-stage tasks, quantum algorithms demonstrated encouraging results in resources and time. Another example is the use of quantum computation to improve sensor performance, a fascinating new route that has the ability to improve the energy industry sector. Robotic systems can be made simpler by the use of quantum computing, which uses random walks instead of graph searches. The creation of innovative materials, computer security, healthcare, and the economy will all benefit from the quantum computing breakthrough. One important avenue for further research seems to be the application of current quantum algorithms to new problem domains, in addition to the creation of original quantum algorithms. This will almost certainly necessitate extensive input from and collaboration with professionals from other disciplines.

REFERENCES

- [1] S. Aaronson, *The limits of quantum computers*, Sci. Am., 298 (2008), 62–69.
- [2] L. M. Adleman, *Molecular computation of solutions to combinatorial problems*, Science, 266 (1994), 1021–1024.
- [3] F. Arute et al., *Quantum supremacy using a programmable superconducting processor*, Nature, 574 (2019), 505–510.
- [4] L. Bacsardi, *On the way to quantum-based satellite communication*, IEEE Commun. Mag., 51(08) (2013), 50–55.
- [5] P. Ball, *Google moves closer to a universal quantum computer*, Nature News, 2016.



- [6] J. C. Bardin, E. Jeffrey, E. Lucero, and E. A. Huang, *28nm bulk-CMOS 4-to-8 GHz ; 2mW cryogenic pulse modulator for scalable quantum computing*, 2019.
- [7] R. Barends, M. Kelly, A. Megrant, J. Sank, M. Steffen, E. Jeffrey, S. Campbell, A. Blais, and J. Majer, *Logic gates at the surface code threshold: Superconducting qubits poised for fault-tolerant quantum computing*, *Nature*, **508** (2014), 500–503.
- [8] R. Barends et al., *Digital quantum simulation of fermionic models with a superconducting circuit*, *Nat. Commun.*, **6** (2015), 7654.
- [9] E. Bernstein and U. Vazirani, *Quantum complexity theory*, *Siam Journal on Computing*, **26** (1997), 1411–1473.
- [10] J. Biamonte, P. Wittek, N. Pancotti, P. Rebentrost, N. Wiebe, and S. Lloyd, *Quantum machine learning*, *Nature*, **549** (2017), 195–202.
- [11] S. Boixo, S. V. Isakov, V. N. Smelyanskiy, R. Babbush, N. Ding, Z. Jiang, M. J. Bremner, J. M. Martinis, and H. Neven, *Characterizing quantum supremacy in near-term devices*, *Nat. Phys.*, **14** (2018), 595–600.
- [12] G. Brassard, P. Hoyer, M. Mosca, and A. Tapp, *Quantum amplitude amplification and estimation*, **305** (2002), 53–74.
- [13] N. T. Bronn, B. Abdo, K. Inoue, S. Lekuch, A. D. Corcoles, J. B. Hertzberg, M. Takita, L. S. Bishop, J. M. Gambetta, and J. M. Chow, *Fast, high-fidelity readout of multiple qubits*, *Physical Review X*, **7**(2) (2017), 021015.
- [14] J. Cabessa and H. T. Siegelmann, *Evolving recurrent neural networks are super-Turing*, 2011, 3200–3206.
- [15] P. Chapman, *Introducing the world’s most powerful quantum computer*, *Online Available* (accessed 2022-01-05).
- [16] G. Duclos-Cianci and D. Poulin, *Fast decoders for topological quantum codes*, *Phys. Rev. Lett.*, **104** (2010), 050504.
- [17] Hilbert: ColdQuanta’s powerful quantum computer, *Online Available* (accessed 2022-01-05).
- [18] Can we build a million qubit quantum computer?, *Online Available* (accessed 2021-01-05).
- [19] Quantum computers, *Online Available* (accessed 2022-01-05).
- [20] I. Cong, S. Choi, and M. D. Lukin, *Quantum convolutional neural networks*, *Nature Physics*, **15**(12) (2019), 1273–1278.
- [21] B. J. Copeland and O. Shagrir, *Do accelerating Turing machines compute the uncomputable?*, *Minds and Machines*, **21** (2011), 221–239.
- [22] J. A. Cortese and T. M. Braje, *Loading classical data into a quantum computer*, 2018.
- [23] S. Debnath, N. M. Linke, C. Figgatt, K. A. Landsman, K. Wright, and C. Monroe, *Demonstration of a small programmable quantum computer with atomic qubits*, *Nature*, **536** (2016), 63–66.
- [24] C. Degenhardt, L. Geck, A. Kruth, P. Vliex, and S. van Waasen, *CMOS based scalable cryogenic control electronics for qubits*, in *Proceedings of the IEEE International Conference on Quantum Computing and Engineering (QCE)*, (2017), 332–335.
- [25] D. Deutsch and R. Jozsa, *Rapid solution of problems by quantum computation*, *Proceedings of the Royal Society of London Series A-Mathematical Physical and Engineering Sciences*, **439** (1992), 553–558.
- [26] D. Deutsch, *Quantum-theory, the Church-Turing principle and the universal quantum computer*, *Proceedings of the Royal Society of London Series A-Mathematical Physical and Engineering Sciences*, **400** (1985), 97–117.
- [27] S. J. Devitt, *Classical control of large-scale quantum computers*, 2014, 26–39.
- [28] A. Dewes, R. Lauro, F. R. Ong, V. Schmitt, P. Milman, P. Bertet, D. Vion, and D. Esteve, *Quantum speeding-up of computation demonstrated in a superconducting two-qubit processor*, *Phys. Rev. B*, **85** (2012), 140503.
- [29] J. F. Du, J. H. Wu, M. J. Shi, L. Han, X. Y. Zhou, B. J. Ye, H. M. Weng, and R. D. Han, *Implementation of quantum logic gates by nuclear magnetic resonance spectroscopy*, *Chin. Phys. Lett.*, **17** (2000), 64–66.
- [30] E. Farhi, J. Goldstone, and S. Gutmann, *A quantum approximate optimization algorithm*, 2014, arXiv:1411.4028.
- [31] E. Farhi, J. Goldstone, S. Gutmann, and H. Neven, *Quantum algorithms for fixed qubit architectures*, 2017.
- [32] R. P. Feynman, *Simulating physics with computers*, *International Journal of Theoretical Physics*, **21** (1982), 467–488.
- [33] A. Fowler, M. Mariantoni, J. Martinis, and A. Cleland, *Surface codes: Towards practical large-scale quantum computation*, *Phys. Rev. A*, **86** (2012), 032324.
- [34] A. G. Fowler, S. J. Devitt, and L. C. L. Hollenberg, *Implementation of Shor’s algorithm on a linear nearest neighbour qubit array*, *Quantum Inf. Comput.*, **4**, 237–251 (2004).



- [35] F. L. Gall, *Improved quantum algorithm for triangle finding via combinatorial arguments*, 216–225 (2014).
- [36] V. Giovannetti, S. Lloyd, and L. Maccone, *Phys. Rev. Lett.*, **100** (2008), 160501.
- [37] L. K. Grover, *A fast quantum mechanical algorithm for database search*, 212–219, 1996.
- [38] L. K. Grover, *Quantum mechanics helps in searching for a needle in a haystack*, *Phys. Rev. Lett.*, **79** (1997), 325–328.
- [39] G. Guerreschi and M. Smelyanskiy, *Practical optimization for hybrid quantum–classical algorithms*, 2017. arXiv:1701.01450.
- [40] Honeywell system model h1, *Online Available* (accessed 2021-01-05).
- [41] D. Hanneke, J. Home, J. D. Jost, J. M. Amini, D. Leibfried, and D. J. Wineland, *Realization of a programmable two-qubit quantum processor*, *Nat. Phys.*, **6** (2010), 13–16.
- [42] A. W. Harrow, *Small quantum computers and large classical data sets*, 2020.
- [43] A. W. Harrow, A. Hassidim, and S. Lloyd, *Quantum algorithm for linear systems of equations*, *Phys. Rev. Lett.*, **103** (2009), 150502.
- [44] N. W. Hendrickx, W. I. L. Lawrie, M. Russ, F. van Riggelen, S. L. de Snoo, R. N. Schouten, A. Sammak, G. Scappucci, and M. Veldhorst, *A four-qubit germanium quantum processor*, *Nature*, **591** (2021), 580–585.
- [45] B. Higgins, D. Berry, S. Bartlett, H. Wiseman, and G. Pryde, *Entanglement-free Heisenberg-limited phase estimation*, *Nature*, **450** (2007), 393–396.
- [46] S.-Y. Hou, G. Feng, Z. Wu, H. Zou, W. Shi, J. Zeng, C. Cao, S. Yu, Z. Sheng, X. Rao, B. Ren, D. Lu, J. Zou, G. Miao, J. Xiang, and B. Zeng, *SpinQ Gemini: a desktop quantum computer for education and research*, *Online Available* (accessed 2022-01-05).
- [47] S. Imre and L. Gyongyosi, *Advanced quantum communications – an engineering approach*, 2013.
- [48] M. Jarzyna and R. Demkowicz-Dobrzanski, *True precision limits in quantum metrology*, *New J. Phys.*, **17**(1) (2015), 013010.
- [49] B. E. Kane, *A silicon-based nuclear spin quantum computer*, *Nature*, **393** (1998), 133–137.
- [50] I. Kerenidis and A. Prakash, *Quantum gradient descent for linear systems and least squares*, 2017. arXiv:1704.04992.
- [51] J. H. Kim, J. S. Lee, T. S. Hwang, and S. C. Lee, *Experimental demonstration of a programmable quantum computer by NMR*, *J. Magn. Reson.*, **166** (2004), 35–38.
- [52] T. Kleinjung, K. Aoki, J. Franke, A. K. Lenstra, E. Thome, J. W. Bos, Gaudry, A. Kruppa, L. Montgomery, D. A. Osvik, H. T. Riele, A. Timofeev, and Zimmermann, *Factorization of a 768-bit RSA modulus*, **6223** (2010), 333–350.
- [53] M. Kuramata, R. Katsuki, and K. Nakata, *Larger sparse quadratic assignment problem optimization using quantum annealing and a bit-flip heuristic algorithm*, 556–565, 2021.
- [54] T. D. Ladd, F. Jelezko, R. Laflamme, Y. Nakamura, C. Monroe, and J. L. O’Brien, *Quantum computers*, *Nature*, **464** (2010), 45–53.
- [55] B. Lanyon, J. D. Whitfield, G. G. Gillett, M. E. Goggin, M. Almeida, I. Kassal, J. D. Biamonte, M. Mohseni, B. J. Powell, M. Barbieri, A. Aspuru-Guzik, and A. G. White, *Towards quantum chemistry on a quantum computer*, *Nat. Chem.*, **2** (2010), 106–111.
- [56] R. J. Lipton, *DNA solution of hard computational problems*, *Science*, **268** (1995), 542–545.
- [57] S. Lloyd, *Universal quantum simulators*, *Science*, **273** (1996), 1073–1078.
- [58] S. Lloyd, J. Shapiro, F. Wong, Kumar, S. Shahriar, and H. Yuen, *Infrastructure for the quantum internet*, *ACM SIGCOMM Comput. Commun. Rev.*, **34** (2004), 9–20.
- [59] S. Lloyd, M. Mohseni, and Rebentrost, *Quantum principal component analysis*, *Nature Physics*, **10**(9) (2014), 631–633.
- [60] M. Luo, H. Li, H. Lai, and X. Wang, *Unified quantum no-go theorems and transforming of quantum states in a restricted set*, 2017. arXiv:1701.04166.
- [61] Y. Manin, *Computable and uncomputable (in Russian)*, 1980.
- [62] E. A. Martinez, C. A. Muschik, Schindler, D. Nigg, A. Erhard, M. Heyl, Hauke, M. Dalmonte, T. Monz, Zoller, and R. Blatt, *Real-time dynamics of lattice gauge theories with a few-qubit quantum computer*, *Nature*, **534** (2016),



- 516–519.
- [63] R. Maurand, X. Jehl, D. Kotekar-Patil, A. Corna, H. Bohuslavskyi, R. Lavieville, L. Hutin, S. Barraud, M. Vinet, M. Sanquer, and S. D. Franceschi, *A CMOS silicon spin qubit*, Nat. Commun., 7 (2016), 13575.
 - [64] R. V. Meter and S. Devitt, *Local and distributed quantum computation*, IEEE Comput., 49(9) (2016), 31–42.
 - [65] R. Van Meter, *Architecture of a Quantum Multicomputer Optimized for Shor’s Factoring Algorithm*, PhD thesis, Keio University, 2006, arXiv:quant-ph/0607065.
 - [66] R. V. Meter, *Quantum networking*, 2014.
 - [67] A. Montanaro, *Quantum algorithms: an overview*, Npj Quantum Information, 2 (2016), 15023.
 - [68] M. A. Nielsen and I. L. Chuang, *Quantum computation and quantum information*, 2000.
 - [69] A. Paler, S. Devitt, K. Nemoto, and I. Polian, *Cross-level validation of topological quantum circuits*, 8507 (2014), 189–200.
 - [70] C. Park, U. Kim, C. J. Ju, J. S. Park, Y. M. Kim, and K. Char, *High mobility field effect transistor based on BASNO₃ with Al₂O₃ gate oxide*, Appl. Phys. Lett., 105 (2014), 203503.
 - [71] J. J. Pla, K. Y. Tan, J. Dehollain, W. H. Lim, J. J. L. Morton, D. N. Jamieson, A. S. Dzurak, and A. Morello, *A single-atom electron spin qubit in silicon*, Nature, 489 (2012), 541–545.
 - [72] J. Preskill, *Quantum computing and the entanglement frontier*, (2013), 63–69.
 - [73] J. Preskill, *Quantum computing and the entanglement frontier*, 2012.
 - [74] J. Preskill, *Quantum computing in the NISQ era and beyond*, Quantum, 2 (2018), 79.
 - [75] J. Proos and C. Zalka, *Shor’s discrete logarithm quantum algorithm for elliptic curves*, 2004.

Uncorrected Proof

